



Mental Health America of Franklin County

538 E. Town Street, Suite D, Columbus, OH 43215

Telephone: (614) 221-1441 Fax: (614) 221-1491

info@mhafc.org

www.mhafc.org

Bipolar Disorder and African Americans

Every person, regardless of race or ethnicity, should seek help if they have a mental health problem or symptoms of a mental disorder. – David Satcher, M.D., Former U.S. Surgeon General

An estimated 2.5 million Americans have bipolar disorder, also called manic-depressive illness. A person with bipolar disorder can go from feeling very, very high (called *mania*) to feeling very, very low (depression). With proper treatment, people can control these mood swings and lead fulfilling lives. While the rate of bipolar disorder is the same among African Americans as it is among other Americans, African Americans are less likely to receive a diagnosis and, therefore, treatment for this illness.

Most African Americans with bipolar disorder are going undiagnosed and untreated.

Several factors have contributed to African Americans not receiving help for bipolar disorder and other mental illnesses. Some of the reasons are:

- A mistrust of health professionals, based in part on historically higher-than-average institutionalization of African Americans with mental illness; and on previous mistreatments, like such tragic events as the Tuskegee syphilis study.
- Cultural barriers between many doctors and their patients.
- Reliance on family and religious community, rather than mental health professionals, during times of distress.
- A tendency to talk about physical problems, rather than discuss mental symptoms, or to mask symptoms with substance abuse or other medical conditions.
- Socioeconomic factors that can limit access to medical and mental health care. About 25 percent of African Americans do not have health insurance.
- Continued misunderstanding and stigma about mental illness.

Signs of Bipolar Disorder

Bipolar disorder often starts in the teen years, but can emerge in later life. It is a potentially life-threatening illness that a person cannot handle alone. Tragically, one of five people with bipolar disorder commits suicide. The signs of bipolar disorder include:

Mania

- Excessive energy, restlessness, racing thoughts and rapid talking
- Denial that anything is wrong
- Extremely happy feelings
- Easily irritated
- Needing little sleep
- Unrealistic belief in one's ability
- Poor judgment
- Sustained, unusual behavior
- Increased sex drive
- Substance abuse
- Aggressive behavior
- Paranoia

Depression

- Poor appetite or eating too much
- Trouble sleeping or sleeping too much
- Nervousness and worry
- Loss of interest in and withdrawal from usual activities
- Feelings of sadness that don't go away
- Irritability or restlessness
- Lack of energy
- Feelings of sadness, worthlessness or guilt
- Inability to think or concentrate
- Repeated thoughts of death or suicide
- Chronic pain or other physical problems that don't respond to treatment

- Increased risk-taking behavior, including reckless driving or substance abuse

No one knows for certain what causes bipolar disorder. But its causes may include:

- **Brain chemistry:** There are chemical changes or imbalances in the brain during both extremes of behavior (mania and depression).
- **Genetics:** Close relatives of people with bipolar disorder are 10 to 20 times more likely to get depression or bipolar disorder than other people.
- **Drug and alcohol abuse:** More than half of the people diagnosed with bipolar disorder have histories of substance abuse. In some cases, substance abuse precedes the development of the problem; in others, alcohol or other drugs may be used as a form of self-medication.
- **Stressful or disturbing events:** Both can cause mood swings

Bipolar disorder can be treated.

There is hope. People with bipolar disorder can be helped by treatment. Treatment can include:

- **Medication:** The doctor may recommend one or more medicines to find what works best.
- **Counseling:** Often, psychotherapy or other forms of counseling are used in combination with medication.
- **Peer Support:** The advice and support of others who have bipolar disorder can aid recovery.
- **Complementary Care:** Some people benefit from exercise, stress reduction classes and other activities to complement their treatment and help them manage their illness.
- **ECT, or Electroconvulsive Therapy:** This is used as a last resort to treat severe bouts of depression and suicidal thoughts. It's only considered when medication and therapy haven't worked.

If you think that you or someone you know has bipolar disorder, talk with your primary care physician or faith leader. However, only a mental health professional can tell if a person has bipolar disorder and properly treat it. Once in treatment, it is important that the person receive the support and understanding of friends and family. Many people also find strength and support through their religious and spiritual affiliations.

For More Information

Contact Mental Health America of Franklin County at 614-221-1441 or www.mhafc.org or:

Mental Health America

2001 N. Beaugard Street, 12th Floor
Alexandria, VA 22311
(800) 969-6642
www.mentalhealthamerica.net

Black Psychiatrists of America

(510) 834-7103

Depression and Bipolar Support Alliance

(800) 826-3632
www.ndmda.org

National Medical Association

(For a list of African American doctors)
(888) 662-7497
www.nmanet.org

American Psychiatric Association

(888) 357-7924
www.psych.org

American Association of Pastoral Counselors

(703) 385-6967
www.aapc.org

Mental Health America of Franklin County is a private, not-for-profit organization, established in 1956. We are dedicated to promoting mental health in Franklin County through advocacy, education, and support services. Our programs include: information and referral to community mental health and alcohol/drug services; support groups for people with mental illness and their families; an Ombudsman program that assists clients in navigating the mental health and alcohol/drug system; mental health screenings in English and Spanish; community and professional mental health education and a newsletter for first-time parents available in both English and Spanish. We receive funding from the Franklin County ADAMH Board and United Way of Central Ohio. To become a member or find out more information, please visit us online at www.mhafc.org.